

GOVERNMENT OF WEST BENGAL DEPARTMENT OF PANCHAYATS & RURAL DEVELOPMENT B. R. AMBEDKAR INSTITUTE OF PANCHAYATS & RURAL DEVELOPMENT KALYANI, NADIA, PIN - 741235.

Gandhi Bhawan: ☎(033) 2582-8161/5975 Fax & ☎: (033) 2582-8257 Benoy Bhawan: ☎(033) 2582-9641/9642 Fax & ☎: (033) 2582-9640

Date: 14.01.2021

e-mail: dir.braiprd-wb@gov.in

NOTICE INVITING QUOTATION NO.: 06 /LAN-SWITCH of 2020-21

Sealed quotations are invited from bonafied and reputed firm having profound experience in networking job on Windows based Computer set - up for supply of Two Number of Layer 2 Switch [One 48 Port and One 24 Port] compatible with existing Network System with structured cabling through Fiber Module at Garidhi Bhavan campus of this institute, subject to strict compliance of the requirements specified in Annexure-I. Rates will be quoted in Letter Head for the above articles to the office of the Director, B. R. Ambedkar Institute of Panchayats & Rural Development, Kalyani, Nadia and it will be dropped during office hours of the period from 14.01.2021 to 22.01.2021 upto 3.00 p.m.

The quotations will be opened at 12.00 noon on 25.01.2021 in the office chamber of the Vivek Kumar, OSD, BRAIPRD at Gandhi Bhavan, Campus Kalyani. The participants may remain present in the office chamber of the Vivek Kumar, OSD, BRAIPRD, Kalyani at Gandhi Bhavan, at the time of opening of quotations.

The accepting authority reserves the right to accept or reject any quotation received from any firm without assigning any reason and the authority does not bind himself to accept the lowest rate only on the basis of financial offer If the lowest quotationer fails to produce the GST no., then the awardee may not be issued the work order even after being the lowest quotationer.

Only a tentative quantity of items have been given in the specification Quantity of the items to be supplied will be determined on actual basis after finalization of the selection procedure. After completion of the total work, the bill in duplicate may be submitted. The bill may not be paid if the items supplied are of poor quality and does not satisfy the competent authority.

The Intending Quotations shall submit the following Documents along with the notice Document:

- ✓ Copy of Valid 15 digit GST Registration No. Certificate.
- ✓ Copy of PAN Card.
- ✓ The Firm shall have valid current Trade License. Copy of the same is to be attached.
- The intending quotationers shall have valid up to date clearance certificates of professional tax. If up to date PTCC is not obtained, then receipt copy of tax deposit shall have to be produced.

Location & Address of Supply :-

B. R. Ambedkar Institute of Panchayats & Rural Development, Gandhi Bhavan, Kalyani, Nadia. PIN - 741235. West Bengal.

Terms and Conditions of the above supply as follows:-

- 1) The agency must submit his Bank Account details with IFSC with the quotation.
- 2) The Quotation offer should be made in the format (Annexure-I & Prescribed Proforma) attached which shall be signed and sealed. Offers not submitted in the <u>prescribed format</u> will be summarily rejected. However, if needed an extra sheet can be attached. The decision of the undersigned will be final and binding on the quotationers.

- 3) The quotationers who offered lowest price will be called for negotiation at the discretion of the tendering authority. The offers shall remain valid for 1 (One) year from the date of quotation. The Lowest Price will be considered on the amount of Individual item of the tender rates quoted.
- 4) The intending quotationers, can download the Quotation document pro forma from the official website www.braiprd.org.in and can submit the same in sealed envelope duly completed in all respect along with others relevant documents in favour of the <u>DIRECTOR</u>, B. R. AMBEDKAR INSTITUTE OF PANCHAYATS & RURAL DEVELOPMENT, Gandhi Bhawan, B-18/204, Kalyani, Nadia, PIN 741235.
- 5) The quoted rate shall be inclusive of all materials, labour required for carrying out the work, loading- unloading, transportation, and scaffolding etc. It shall also include those items which are not specified but required for completion of the works.
- 6) No advance payment will be made. However, payment will be made after supply of each order and satisfactory performance of the said item, on submission of the bill in duplicate. <u>Necessary statutory deduction as applicable shall be made form the amount payable to the party.</u>
- 7) If the scheduled day for opening the sealed quotations is declared to be a holiday, the same will be opened on the next immediate working day.

OSD BRAIPRD, Kalyani, Nadia

Date: 14.01.2021

Memo No. 55/1(5)/11012(19)/1/2020 (I-140/2018)

Copy forwarded for kind information to publicize in the respective office notice board :

- 1. The District Magistrate, Nadia, P.O. Krishnagar, Nadia.
- 2. The Sub-Divisional Officer, Kalyani, Nadia.
- 3. The Executive Officer, Kalyani Municipality, Kalyani, Nadia.
- 4. The Head Clerk with a request to arrange for display in the office Notice Board of both the campuses of BRAIPRD, Kalyani, Nadia.
- 5/ The Librarian, requesting to uploading the website of this Institute.

OSD

BRAIPRD, Kalyani, Nadia

Annexure-I

SI.	Specification	Compliance Y/N	Brand Name with Model No.
1	HP 24 port Switch Spec Layer – 2 Switch		*
	I/O Ports and Slots 24 RJ-45 autosensing 10/100/1000 ports (IEEE 802.3 Type 10BASE-T, IEEE 802.3u Type 100BASE-TX, IEEE 802.3ab Type 1000BASE-T); Duplex: 10BASE-T/100BASE-TX: half or full; 1000BASE-T: full only 4 SFP+ 1/10GbE ports	*	
	Physical Characteristics Dimensions 17.42(w) x 8.72(d) x 1.73(h) in (44.25 x 22.15 x 4.39 cm) (1U height) Weight 5.32 lb (2.41 kg)		
	CPU ARM Cortex-A9 @ 800 MHz		
	Memory and Flash 512 MB SDRAM 256 MB flash, Packet Buffer 1.5 MB		
	Environment Operating temperature 32°F to 104°F (0°C to 40°C) Operating relative humidity 15% to 95% @ 104°F (40°C) Non-operating temperature -40°F to 158°F (-40°C to 70°C) Non-operating relative humidity 15% to 95% @ 140°F (60°C) Altitude Up to 10,000ft (3.048 Km) Acoustic Power: 0 dB (no fan)		
	Electrical Characteristics Frequency 50-60 Hz AC voltage 100-240V Current 0.5/0.3 A Maximum power rating 22.6 W Idle power 9.3 W PoE power n/a Power supply Internal power supply	,	N ₂ V · ·
2	HP 48 port Switch Spec Layer – 2 Switch		
	I/O Ports and Slots 48 RJ-45 autosensing 10/100/1000 ports (IEEE 802.3 Type 10BASE-T, IEEE 802.3u Type 100BASE-TX, IEEE 802.3ab Type 1000BASE-T); Duplex: 10BASE-T/100BASE-TX: half or full; 1000BASE-T: full only 4 SFP+ 1/10GbE ports		
	Physical Characteristics Dimensions 17.42(w) x 11.12(d) x 1.73(h) in (44.25 x 28.24 x 4.39 cm) (1U height) Weight 6.91 lb (3.13 kg)	₹	
	CPU ARM Cortex-A9 @ 800 MHz	_	2
	Memory and Flash 512 MB SDRAM 256 MB flash Packet Buffer 1.5 MB Environment Operating temperature 32°F to 104°F (0°C to 40°C) Operating relative humidity 15% to 95% @ 104°F (40°C) Non-operating temperature -40°F to 158°F (-40°C to 70°C) Non-operating relative humidity 15% to 95% @ 140°F (60°C) Altitude Up to 10,000ft (3.048 Km) Acoustic Power: 0 dB (no fan)		
	Electrical Characteristics Frequency 50-60 Hz AC voltage 100 - 127 / 200 - 240 VAC Current .8/.5 A Maximum power rating 36.9 W Idle power 16.8 W PoE power n/a Power supply Internal power supply	. *	

Prescribed Proforma

SI.	Particulars	Unit Price
		(including GST)
		Rs.
1	HP 24 port Switch Spec Layer - 2 Switch as per above specification in Annexure-I	
2	HP 48 port Switch Spec Layer - 2 Switch as per above specification in Annexure-I	

OSD SRAIPRD, Kalyani, Nadia